





TAB A - INITIAL SPECIMENS

BEST AVAILABLE COPY






BEST AVAILABLE COPY





TAB B - EXPOSURE AT 212°F FOR 2 MINUTES


BEST AVAILABLE COPY





TAB C - INITIAL SPECIMENS FLAT ON TRAY


BEST AVAILABLE COPY





TAB D - EXPOSURE AT 250°F FOR 5 MINUTES


BEST AVAILABLE COPY



2002 11 05




DEVELOPMENT COPY





TAB E - INITIAL SPECIMENS AGAINST OVEN WALL

BEST AVAILABLE COPY





TAB F - AGAINST OVEN WALL AT 250°F FOR 1 MINUTE


BEST AVAILABLE COPY





SC32 2012  
NOV 19 2002  
U.S. PATENT & TRADEMARK OFFICE

BEST AVAILABLE COPY







TAB G - AGAINST OVEN WALL AT 300°F FOR 1 MINUTE

BEST AVAILABLE COPY





BEST AVAILABLE COPY






TAB H - AGAINST OVEN WALL AT 350°F FOR 1 MINUTE

BEST AVAILABLE COPY






BEST AVAILABLE COPY





TAB I - AGAINST OVEN WALL AT 400°F FOR 1 MINUTE

BEST AVAILABLE COPY



NOV 19 2002  
PATENT & TRADEMARK OFFICE

